Cosc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

#19

In re Application of:

Zatezalo, et al.

Serial No.: 09/365,278

Art Unit: 3737

Examiner: Lin, J.

Atty. Docket No.: 99-256-US

Patent No.: 6,339,718

Issued: January 15, 2002

PROGRAMMABLE INJECTOR CONTROL



Pittsburgh, Pennsylvania 15230

FOR PTO MISTAKE (37 CFR 1.322(a))

Commissioner for Patents Washington, D.C. 20231

Attention: Certificate of Correction Branch

of the Publishing Division

Sir:

- 1. Medrad, Inc., assignee of United States Patent No. 6,339,718, issued January 15, 2002, hereby requests that the changes noted on the attached Form-1050, Certificate of Correction, be made to the referenced patent, and that an official Certificate of Correction be issued by the U.S. Patent and Trademark Office. The noted corrections are deemed to be necessary due to errors made by the United States Patent and Trademark Office and are not mistakes incurred through the failure of Applicants. No fee is therefore necessary to issue the Certificate.
- 2. Assignee hereby requests that the Certificate of Correction be issued in due course and that the original and ten (10) copies of the Certificate of Correction be sent to the undersigned counsel of record for Assignee (and Applicants).

PGHLIB-0916201.01-IKSAMWAY

- 3. The exact page and line numbers where the errors are shown correctly in the application file are: in the Issue Fee Transmittal dated August 2, 2001, item 2 (names of registered attorneys/agents), number 2; in the Amendment dated May 22, 2001: p. 6, line 2 and line 4, respectively (both in old Claim 42).
 - Attached, in duplicate, is Form-1050, with at least one copy being suitable for printing.
 - The Director is hereby authorized to charge payment of any additional fees associated with this Request for Corrected Certificate or credit any overpayment to Deposit Account No. 18-0582. A duplicate copy of this communication is enclosed.

Dated: March 6, 2002

Respectfully submitted,

Tan K. Samways Req. No. 36,66

P.O. Box 488 Pittsburgh, PA 15230 (412) 288-4160

Agent for Assignee and Applicants

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being

MAILED ☐ deposited with the United States Postal Service on March 6, 2002 with sufficient postage as first-class mail in an envelope addressed to the: Commissioner for Patents, Washington, D.C. 20231. Lori B. Amoroso ☐ transmitted by facsimile on [date] to the U.S. Patent and Trademark Office. Type Signature Name ☐ (Signature of person mailing paper or fee)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

OLIVIII ICATE OF CORRECTION	
PATENT NO.:	6,339,718 B
DATED:	January 15, 2002
INVENTOR(S):	Zatezalo, et al.
said Letters Patent	ertified that an error appears in the above-identified patent and that is hereby corrected as shown below: 74), Attorney, Agent or Firm, line 1, delete 'George' and replace with
Column 11, line 46,	Claim 19, delete 'flushing' and replace withcontrast
Column 11, line 48,	Claim 19 after "first phase of an injection" insertprocedure

MAILING ADDRESS OF SENDER: lan K. Samways Reed Smith LLP P.O. Box 488 Pittsburgh, PA 15230 412-288-4160

PATENT NO. 6,339,718

No. of additional copies:

⇒10

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 6,339,718 B1

DATED

: January 15, 2002

INVENTOR(S) : Zatezalo et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [74], Attorney, Agent, or Firm, line 1, delete "George" and replace with -- Gregory --.

Column 11,

Line 46, delete "flushing" and replace with -- contrast --. Line 48, "first phase of an injection" insert -- procedure --.

= after-

In & certificate supersedes certificate of cornection issued August 20, 2002.

Signed and scaled this Amontieth Day of August, 2002

Alest:

Auesting Officer

IAMES ENCOGÁN NOTTEGGT OF THE United States Powers and Tradenyajk Affice